

11-FEB-2010  
2009-3600

**WILSON**  
**SLUG BAIT (FOR REPACKAGING)**

FOR USE IN MANUFACTURING, FORMULATING OR REPACKING

A READY-TO-USE BAIT THAT ATTRACTS AND KILLS SLUGS AND SNAILS.  
Contains BITREX® to make pellets less palatable  
to birds and domestic animals.

MAY BE FATAL TO DOGS. READ PRECAUTIONS.

KEEP OUT OF REACH OF CHILDREN AND/OR UNAUTHORIZED PERSONNEL

REGISTRATION NO. 27113 PEST CONTROL PRODUCTS ACT

GUARANTEE: Metaldehyde 2.75%  
Warning, contains the allergen wheat.

NET CONTENTS: 25 kg

READ THE LABEL BEFORE USING

Agrium Advanced Technologies RP Inc.  
10 Craig Street  
Brantford ON  
N3R 7J1  
(519) 757-0077

**DIRECTIONS FOR USE:** To be used only in the manufacture of a pesticide which is registered under the PEST CONTROL PRODUCTS ACT.

**PRECAUTIONS: PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.** Avoid contact with skin, eyes and clothing. Harmful if swallowed. Avoid contamination of feed, foodstuffs, water supplies and ponds. Do not contaminate edible parts of food crops. **DOGS AND CATS ARE ATTRACTED TO METALDEHYDE. POISONING WITH FATALITY MAY RESULT FROM INGESTION.**

**STORE IN A DRY PLACE.**

**FIRST AID: If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Call a physician or poison control centre immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Symptoms of poisoning are: drowsiness, tachycardia, salivation, facial flushing, acetonuria, restlessness, abdominal pain, nausea, urine protein positive. Treat symptomatically.

**DECONTAMINATION AND DISPOSAL:** Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.